

Airsoft Gas

Print date	31.05.2023
Revision date	31.05.2023
Version	7.0 (en)
replaces version of	12.10.2021 (6.1)

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation	Airsoft Gas
Unique Formula Identifier	UFI: A1X8-N1TF-N00P-GSHK

Hazard components propane

* 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Propellant for airsoft weapons

1.3 Details of the supplier of the safety data sheet

Manufacturer

F.W.Klever Hauptstraße 20 D-84168 Aham Telephone +49 (0) 8744 96 99 10 Telefax + 49 (0) 8744 96 99 96 E-mail info@ballistol.de Website www.ballistol.de

Department responsible for information: Qualitätssicherung Telephone +49 (0) 8744 96 99 80

E-mail (competent person): info@ballistol.de

* 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aerosol 1, H222 H229

Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components propane



ES WIRKT.

 Airsoft Gas

 Print date
 31.05.2023

 Revision date
 31.05.2023

 Version
 7.0 (en)

 replaces version of
 12.10.2021 (6.1)

Hazard pictograms



Signal word Danger

Hazard statements

H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.

Precautionary statements

P102 Keep out of reach of children.

P251 Do not pierce or burn, even after use.

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container to recycling

2.3 Other hazards

No data available

* SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

* 3.2 Mixtures

Hazardous ingredients

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
74-98-6	200-827-9	propane	> 70 weight-%	Flam. Gas 1; H220 Press. Gas	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. Remove affected person from the danger area and lay down.

Following inhalation

Provide fresh air.

Following skin contact

In case of contact with skin wash off with warm water.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.



ES WIRKT.

Airsoft Gas Print date 31.05.2023 Revision date 31.05.2023 Version 7.0 (en) replaces version of

12.10.2021 (6.1)

Following ingestion

Do NOT induce vomiting. If swallowed, immediately drink: Water Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Water spray jet

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Carbon monoxid (CO) Carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Heating causes rise in pressure with risk of bursting

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Provide adequate ventilation. Remove all sources of ignition. Do not breath vapour or spray.

6.2 Environmental precautions

No data available

6.3 Methods and material for containment and cleaning up

For containment

Suck off by room ventilation.



ES WIRKT.

Airsoft Gas Print date 31.05.2023 Revision date Version 7.0 (en) replaces version of

31.05.2023 12.10.2021 (6.1)

6.4 Reference to other sections

No data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Take precautionary measures against static discharges. Use only in well-ventilated areas. Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking. Container under pressure Protect aerosols from temperatures exceeding 50°C/ 122°F Do not open with force or incinerate, even when empty Avoid: Eye contact Skin contact Do not inhale aerosols

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Storing of food in workroom forbidden. Wash hands before breaks and after work. Use protective skin cream before handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Storage class

2B Aerosol dispensers and lighters

Materials to avoid

Do not store together with: Food and feedingstuffs

Further information on storage conditions

Protect from extreme heat and cold. Keep cool.

7.3 Specific end use(s)

No data available

* SECTION 8: Exposure controls/personal protection

* 8.1 Control parameters

No data available

8.2 Exposure controls

Personal protection equipment

Eye/face protection tightly fitting goggles

Hand protection

Gloves with long cuffs Chromate-free leather



ES WIRKT.

Airsoft Gas Print date 31.05.2023 Revision date 31.05.2023 Version 7.0 (en) replaces version of 12.10.2021 (6.1)

Body protection:

Protective clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation Respiratory protection must be worn whenever the WEL levels have been exceeded The following applies to propane in general: If the concentration is exceeded, closed-circuit breathing apparatures must be used Use filter apparatus type AX, identification colour brown according to EN 371

Environmental exposure controls

Technical measures to prevent exposure

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Aerosol

Colour

colourless clear

Odour

odourless

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	approx48 °C		(Propan)
flammability	not determined		
Lower and upper explosion limit	Upper explosion limit approx. 10.9 Vol-%		(Propan)
Lower and upper explosion limit	Lower explosion limit approx. 1.5 Vol-%		(Propan)
Flash point	approx104 °C	EN ISO 2592	(Propan)
Auto-ignition temperature	approx. 370 °C		
Decomposition temperature	not determined		
рН	not determined		
Viscosity	not determined		
Solubility(ies)	Water solubility < 0.1 g/L		
Partition coefficient n- octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	approx. 0.5 g/cm³ (20°C)		



ES WIRKT.

Airsoft Gas Print date 31.05.2023 Revision date 31.05.2023 Version 7.0 (en) replaces version of

12.10.2021 (6.1)

	Value	Method	Source, Remark	
Relative vapour density	not determined			
particle characteristics	not determined			

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Formation of explosive gas/air mixtures. Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding 50°C/122°F.

10.5 Incompatible materials

Oxidising agent, strong

10.6 Hazardous decomposition products

Carbon monoxide Carbon dioxide

Additional information

Product is stable under normal storage conditions

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data			
	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity	not determined		
Acute dermal toxicity	not determined		
Acute inhalation toxicity	not determined		
Skin corrosion/irritation			
Animal data			
Result / Evaluation	Method	Source, Remark	
non-irritant.			
Serious eye damage/irritation			
Animal data			
Result / Evaluation	Method	Source, Remark	
non-irritant.			



Airsoft Gas

Print date	31.05.2023	
Revision date	31.05.2023	
Version	7.0 (en)	
replaces version of	12.10.2021 (6.1)	

ensitisation to the respiratory trac not determined kin sensitisation	t		
kin sensitisation			
Animal data			
Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.			
Germ cell mutagenicity			
not determined			
arcinogenicity			
not determined			
Reproductive toxicity			
not determined			
TOT-single exposure			
not determined			
TOT-repeated exposure			
not determined			
spiration hazard			
not determined			
1.2 Information on other hazards			
Other information			
May cause frostbite. The product has not been tested	I. The information is deriv	ved from the pro	perties of the individual components.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Effective doseMethod,EvaluationSource, RemarkAcute (short-term) fish toxicitynot determinedAcute (short-term) toxicity to crustaceanot determinedChronic (long-term) toxicity to aquatic invertebratenot determinedAcute (short-term) toxicity to aquatic invertebratenot determinedAcute (short-term) toxicity to algae and cyanobacterianot determinedChronic (long-term) toxicity to aquatic algae and cyanobacterianot determinedToxicity to other aquatic plants/organismsnot determinedToxicity to microorganismsnot determinedPersistence and degradabilitynot determined				
Chronic (long-term) fish toxicitynot determinedAcute (short-term) toxicity to crustaceanot determinedChronic (long-term) toxicity to aquatic invertebratenot determinedAcute (short-term) toxicity to algae and cyanobacterianot determinedChronic (long-term) toxicity to algae and cyanobacterianot determinedChronic (long-term) toxicity to aquatic algae and cyanobacterianot determinedToxicity to other aquatic plants/organismsnot determinedToxicity to microorganismsnot determined		Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) toxicity to crustaceanot determinedChronic (long-term) toxicity to aquatic invertebratenot determinedAcute (short-term) toxicity to algae and cyanobacterianot determinedChronic (long-term) toxicity to aquatic algae and cyanobacterianot determinedToxicity to other aquatic plants/organismsnot determinedToxicity to microorganismsnot determined	Acute (short-term) fish toxicity	not determined		
crustaceaChronic (long-term) toxicity to aquatic invertebratenot determinedAcute (short-term) toxicity to algae and cyanobacterianot determinedChronic (long-term) toxicity to aquatic algae and cyanobacterianot determinedToxicity to other aquatic plants/organismsnot determinedToxicity to microorganismsnot determined	Chronic (long-term) fish toxicity	not determined		
aquatic invertebrateAcute (short-term) toxicity to algae and cyanobacterianot determinedChronic (long-term) toxicity to aquatic algae and cyanobacterianot determinedToxicity to other aquatic plants/organismsnot determinedToxicity to microorganismsnot determined	, j	not determined		
algae and cyanobacterianot determinedChronic (long-term) toxicity to aquatic algae and cyanobacterianot determinedToxicity to other aquatic plants/organismsnot determinedToxicity to microorganismsnot determined		not determined		
aquatic algae andcyanobacteriaToxicity to other aquaticplants/organismsToxicity to microorganismsnot determined		not determined		
plants/organisms not determined	aquatic algae and	not determined		
		not determined		
Persistence and degradability	Toxicity to microorganisms	not determined		
	Persistence and degradability			

No data available



Print date	31.05.202
Revision date	31.05.202
Version	7.0 (en)
replaces version of	12.10.202

Airsoft Gas

31.05.2023 31.05.2023 7.0 (en) 12.10.2021 (6.1)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

If appropriate application no interferences in sewage treatment plants. Do not allow uncontrolled discharge of product into the environment. The breakdown properties of the product have not been tested. The information on these is given on the basis of details in the literature.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product Waste name

160505 gases in pressure containers other than those mentioned in 16 05 04

Appropriate disposal / Product

Product rests: send for disposal, e.g. special waste incineration. Dispose of waste according to "Kreislaufwirtschaftsgesetz (KrWG)".

Appropriate disposal / Package

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA DGR)
UN 1950	UN 1950	UN 1950
AEROSOLS	AEROSOLS	Aerosols, flammable
2.1	2.1	2.1
-	-	-
No	No	No
ser		
	(ADR/RID) UN 1950 AEROSOLS 2.1	(ADR/RID) UN 1950 UN 1950 UN 1950 AEROSOLS AEROSOLS 2.1 2.1 - - No No

14.7 Maritime transport in bulk according to IMO instruments

No data available



ES WIRKT.

Airsoft Gas Print date 31.05.2023 Revision date 31.05.2023 Version 7.0 (en) replaces version of 12.10.2021 (6.1)

Land transport (ADR/RID)

UN number or ID number	UN 1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Hazard label(s)	2.1
Classification code	5F
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	1 L
Special provisions	190, 327, 344, 625
Tunnel restriction code	D

Sea transport (IMDG)

UN number or ID number	UN 1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	1 L
Marine pollutant	No
EmS	F-D, S-U

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number	UN 1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Other regulations (EU)

To follow:

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work Aerosol directive (75/324/EEC)

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC

VOC content, ready-to-use condition approx. 99.5 %

15.2 Chemical Safety Assessment

National regulations

Chemical safety assessments for substances in this mixture were not carried out.



Airsoft Gas	
Print date	31.05.2023
Revision date	31.05.2023
Version	7.0 (en)
replaces version of	12.10.2021 (6.1)

SECTION 16: Other information

Additional information

National and local regulations concerning chemicals shall be observed.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. R12 = Extremely flammable

Relevant H- and EUH-phrases (Number and full text)

H220 Extremely flammable gas.

Indication of changes

* Data changed compared with the previous version