

# Fahrrad-Pflege-Spray

Print date	17.03.2023
Revision date	17.03.2023
Version	5.0 (en)
replaces version of	21.09.2021 (4.9)

# \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

\* 1.1 Product identifier

Trade name/designation	Fahrrad-Pflege-Spray		
Unique Formula Identifier	UFI: T8SR-9E4M-200F-UUA8		

Hazard components Kerosin (Erdöl), hydrodesulfuriertes ; Kerosin - nicht spezifiziert (Kopie)

# \* 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture corrosion prevention Lubricant

# 1.3 Details of the supplier of the safety data sheet

#### Manufacturer

F.W.Klever Hauptstraße 20 D-84168 Aham Telephone +49 (0) 8744 96 99 10 Telefax + 49 (0) 8744 96 99 96 E-mail info@ballistol.de Website www.ballistol.de

Department responsible for information: Qualitätssicherung Telephone +49 (0) 8744 96 99 80

E-mail (competent person): info@ballistol.de

# \* 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

# \* SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] Aerosol 1, H222 H229 Aquatic Chronic 3, H412

#### Hazard statements for physical hazards

H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.

# Hazard statements for environmental hazards

#### H412 Harmful to aquatic life with long lasting effects.

#### \* 2.2 Label elements

\* Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard components

Kerosin (Erdöl), hydrodesulfuriertes ; Kerosin - nicht spezifiziert (Kopie)



# Fahrrad-Pflege-Spray

Print date	17.03.2023
Revision date	17.03.2023
Version	5.0 (en)
replaces version of	21.09.2021 (4.9)

# Hazard pictograms



Signal word Danger

#### Hazard statements

H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P102 Keep out of reach of children. P251 Do not pierce or burn, even after use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container to recycling

#### 2.3 Other hazards

No data available

# **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

#### Hazardous ingredients

	CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
-			Kerosin (Erdöl), hydrodesulfuriertes ; Kerosin - nicht spezifiziert (Kopie)	25 weight-%	Asp. Tox. 1; H304	
	106-97-8	203-448-7	butane	15 weight-%	Flam. Gas 1; H220 Press. Gas	
-	74-98-6	200-827-9	propane	5 weight-%	Flam. Gas 1; H220 Press. Gas	

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# Following inhalation

Provide fresh air. In the event of symptoms refer for medical treatment.

#### Following skin contact

After contact with skin, wash immediately with plenty of water and soap.



# ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# Fahrrad-Pflege-Spray

Print date	17.03.2023
Revision date	17.03.2023
Version	5.0 (en)
replaces version of	21.09.2021 (4.9)

# After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

# **Following ingestion**

If swallowed, immediately drink: Water Seek medical advice immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

No data available

# 4.3 Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Foam ABC-powder Carbon dioxide (CO2) Water spray jet

# Unsuitable extinguishing media

Full water jet

# 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon dioxid (CO2)

#### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Heating causes rise in pressure with risk of bursting Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Special danger of slipping by leaking/spilling product.



# Fahrrad-Pflege-Spray

Print date	17.03.2023
Revision date	17.03.2023
Version	5.0 (en)
replaces version of	21.09.2021 (4.9)

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Take up residues with absorbent material (e.g. sawdust).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# 6.4 Reference to other sections

No data available

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Protective measures

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking. Protect aerosols from temperatures exceeding 50°C/ 122°F Do not inhale gases/vapours/aerosols.

#### Advices on general occupational hygiene

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container.

#### Storage class

2B Aerosol dispensers and lighters

# Further information on storage conditions

Recommended storage temperature: room temperature. Storage time: 3 years.

# 7.3 Specific end use(s)

No data available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

CAS No. EC No. Substance name occupational exposure limit value

106-97-8	203-448-7	n-Butane	600 [ml/m³(ppm)] 1450 [mg/m³]
			Short-term(ml/m <sup>3</sup> ) 750 Short-term(mg/m <sup>3</sup> ) 1810
			(UK)



# Fahrrad-Pflege-Sprav

17.03.2023
17.03.2023
5.0 (en)
21.09.2021 (4.9)
1

		Teplaces version of	21.09.
CAS No. EC No.	Substance name	occupational exposure limit	value

Short-term(ml/m<sup>3</sup>) 1000 (1) (1) 15 minutes average value (IE)

# 8.2 Exposure controls

106-97-8

# Personal protection equipment

# Eye/face protection

With demand: protective glasses

203-448-7

# Hand protection

Gloves (oil-resistant) Recommendation: protective glove (referred to EN374).

n-Butane

#### **Respiratory protection**

Respiratory protection must be worn whenever the WEL levels have been exceeded The following applies to propane in general: If the concentration is exceeded, closed-circuit breathing apparatures must be used Use filter apparatus type AX, identification colour brown according to EN 371

# \* SECTION 9: Physical and chemical properties

# \* 9.1 Information on basic physical and chemical properties

#### **Physical state** Aerosol

Colour light yellow

Odour characteristic

#### Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	-48 °C		(Propan)
flammability	not determined		
Lower and upper explosion limit	Upper explosion limit 10.9 Vol-%		(Propan)
Lower and upper explosion limit	Lower explosion limit approx. 1.5 Vol-%		(Propan)
Flash point	approx104 °C		(Propan)
Auto-ignition temperature	not determined		
Decomposition temperature	not determined		
рН	in delivery state		
Viscosity	kinematic approx. 28 mm²/s (20°C)		information concerns to liquid phase



# ES WIRKT.

# Fahrrad-Pflege-Spray Print date 17.03.2023 Revision date 17.03.2023 Version 5.0 (en) replaces version of 21.09.2021 (4.9)

	Value	Method	Source, Remark
Solubility(ies)	Water solubility (20°C) pressure 1013 hPa		Immiscible
Partition coefficient n- octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	approx. 0.874 g/mL (20°C) pressure 1013 hPa		information concerns to liquid phase
Relative vapour density	not determined		
particle characteristics	not determined		
2 Other information			
Other safety characteristics			
	Value	Method	Source, Remark
refraction index	approx. 1.48 (20°C)		

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

9

No data available

# 10.2 Chemical stability

No data available

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding 50°C/122°F.

# 10.5 Incompatible materials

Oxidising agent, strong

# 10.6 Hazardous decomposition products

Carbon monoxide Carbon dioxide

# Additional information

Product is stable under normal storage conditions

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

# Animal data

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	> 2000 mg/kg Species Rat		Data apply to the main component.



# Fahrrad-Pflege-Spray

i unitua i nogo op	iuy	
Print date	17.03.2023	
Revision date	17.03.2023	
Version	5.0 (en)	
replaces version of	21.09.2021 (4.9)	

	Effective dose	Method,Evaluation	Source, Remark
Acute dermal toxicity	> 3000 mg/kg Species Rabbit		
Acute inhalation toxicity	not determined		
kin corrosion/irritation			
not determined			
erious eye damage/irritation			
Animal data			
Result / Evaluation	Method	Source, Remark	K
slightly irritant			
ensitisation to the respiratory tra	ct		
not determined			
kin sensitisation			
Animal data			
Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.			
Germ cell mutagenicity			
not determined			
arcinogenicity			
not determined			
Reproductive toxicity			
not determined			
TOT-single exposure			
not determined			
TOT-repeated exposure			
not determined			
spiration hazard			
not determined			
1.2 Information on other hazards			

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# Aquatic toxicity

2				
	Effective dose	Method, Evaluation	Source, Remark	
Acute (short-term) fish toxicity	not determined			
Chronic (long-term) fish toxicity	not determined			
Acute (short-term) toxicity to crustacea	not determined			
Chronic (long-term) toxicity to aquatic invertebrate	not determined			
Acute (short-term) toxicity to algae and cyanobacteria	not determined			



# Fahrrad-Pflege-Spray

i anniaa i nogo opi	۵J
Print date	17.03.2023
Revision date	17.03.2023
Version	5.0 (en)
replaces version of	21.09.2021 (4.9)

	Effective dose	Method,Evaluation	Source, Remark
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		
12.2 Persistence and degradabilit	у		
	Value	Method	Source, Remark
Biodegradation			Moderately/partially biodegradable.
12.3 Bioaccumulative potential			
No data available			
12.4 Mobility in soil			
No data available			
12.5 Results of PBT and vPvB ass	sessment		
No data available			
12.6 Endocrine disrupting proper	ties		
No data available			
12.7 Other adverse effects			
No data available			

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

130205 \*

# Waste codes/waste designations according to EWC/AVV

Waste code product Waste name

mineral-based non-chlorinated engine, gear and lubricating oils

# Appropriate disposal / Package

Non-contaminated packages may be recycled. Recycle sales packaging via DSD (Duales System Deutschland).

# **SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No



# Fahrrad-Pflege-Spray

Print date	17.03.2023
Revision date	17.03.2023
Version	5.0 (en)
replaces version of	21.09.2021 (4.9)

# 14.6 Special precautions for user

No data available

# 14.7 Maritime transport in bulk according to IMO instruments

No data available

# Land transport (ADR/RID)

UN number or ID number	UN 1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Hazard label(s)	2.1
Classification code	5F
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	1 L
Special provisions	190, 327, 344, 625
Tunnel restriction code	D

# Sea transport (IMDG)

UN number or ID number	UN 1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	1 L
Marine pollutant	No
EmS	F-D, S-U

# Air transport (ICAO-TI / IATA-DGR)

UN 1950
Aerosols, flammable
2.1
-
No

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No data available

# **15.2 Chemical Safety Assessment**

For this substance a chemical safety assessment is not required.



# Fahrrad-Pflege-Spray

· ann · a · · · · · · · · · · · · · · ·	~.j
Print date	17.03.2023
Revision date	17.03.2023
Version	5.0 (en)
replaces version of	21.09.2021 (4.9)

# **SECTION 16: Other information**

#### **Additional information**

National and local regulations concerning chemicals shall be observed.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Relevant H- and EUH-phrases (Number and full text)

- H220 Extremely flammable gas.
- H304 May be fatal if swallowed and enters airways.

#### Indication of changes

\* Data changed compared with the previous version