

## **Kettenreiniger-Spray**

Print date 31.05.2023 Revision date 31.05.2023 Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade name/designation Kettenreiniger-Spray

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

For bicycle and motorbike chains, gears, frames and rims

#### Remark

UFI: 2NMC-N133-Y00Q-S93E

## 1.3 Details of the supplier of the safety data sheet

## Manufacturer

F.W.Klever Hauptstraße 20 D-84168 Aham Telephone +49 (0) 8744 96 99 10 Telefax + 49 (0) 8744 96 99 96 E-mail info@ballistol.de Website www.ballistol.de

Department responsible for information:

Qualitätssicherung

Telephone +49 (0) 8744 96 99 80

E-mail (competent person):

info@ballistol.de

## 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

# \* SECTION 2: Hazards identification

## \* 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Classification procedure

Aerosol 1, H222 H229

Skin Irrit. 2, H315

Eye Dam. 1, H318

Aquatic Chronic 2, H411

# Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

## Hazard statements for health hazards

H315 Causes skin irritation.

H318 Causes serious eye damage.



# **Kettenreiniger-Spray**

Print date 31.05.2023 Revision date 31.05.2023 Version 2.1 (en)

16.01.2023 (2.0) replaces version of

## Hazard statements for environmental hazards

H411 Toxic to aquatic life with long lasting effects.

## \* 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

## Hazard pictograms







GHS02

GHS05

Signal word

Danger

# **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P102 Keep out of reach of children.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P251 Do not pierce or burn, even after use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/protective clothing and eye/face protection.

P211 Do not spray on an open flame or other ignition source.

P264 Wash hands thoroughly after handling.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container to recycling

#### 2.3 Other hazards

No data available

# **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

not applicable

# 3.2 Mixtures

## **Hazardous ingredients**

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
74-98-6	200-827-9	propane	< 20 weight-%	Flam. Gas 1; H220 Press. Gas	
106-97-8	203-448-7	butane	< 20 weight-%	Flam. Gas 1; H220 Press. Gas	



## ES WIRKT.

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Kettenreiniger-Spray

Print date 31.05.2023
Revision date 31.05.2023
Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

CAS No. EC No. Substance name Concentration Classification SCL/ M/ ATE

according to Regulation (EC) No 1272/2008

[CLP]

25307-17-9 246-807-3 Bis(2- < 5 weight-% Acute Tox. 4; M=10 (Aquatic Hydroxyethyl)Oleyamin H302 Acute 1)

H302 Acute 1)
Skin Corr. 1B; M=1 (Aquatic H314 Chronic 1)

Eye Dam. 1; H318 Aquatic Acute 1;

H400 Aquatic Chronic 1;

H410

REACH No. Substance name

01-2119510876-35 Bis(2-Hydroxyethyl)Oleyamin

Remark

Aerosol: Propellant propane/butane gas

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information**

Remove contaminated, saturated clothing immediately.

## Following inhalation

Provide fresh air.

In the event of symptoms refer for medical treatment.

# Following skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

## After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## Following ingestion

Do NOT induce vomiting.

If troubles appear bring to a medical treatment

Rinse mouth thoroughly with water.

# 4.2 Most important symptoms and effects, both acute and delayed

No data available

## 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

Treat symptomatically.



# Kettenreiniger-Spray

Print date 31.05.2023
Revision date 31.05.2023
Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Foam Carbon dioxide (CO2) Water spray jet

## Unsuitable extinguishing media

Full water jet

# 5.2 Special hazards arising from the substance or mixture

## **Hazardous combustion products**

Carbon monoxide Vapours may form explosive mixtures with air

# 5.3 Advice for firefighters

## Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

## **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Heating leads to pressure increase and risk of cracking

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Remove all sources of ignition.
Do not breath vapour or spray.

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3 Methods and material for containment and cleaning up

## For containment

Take up residues with absorbent material (e.g. sand, sawdust, general-purpose binder).

## 6.4 Reference to other sections

No data available

## **SECTION 7: Handling and storage**



**Kettenreiniger-Spray** 

Print date 31.05.2023 Revision date 31.05.2023 Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

## 7.1 Precautions for safe handling

#### **Protective measures**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Do not spray on naked flames or any incandescent material.

Keep away from sources of ignition - No smoking. Protect aerosols from temperatures exceeding 50°C/ 122°F

Do not open with force or incinerate, even when empty

Avoid:

Eye contact

Skin contact

Do not inhale aerosols

## Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

Storing of food in workroom forbidden.

Wash hands before breaks and after work.

Use protective skin cream before handling the product.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage class

2B Aerosol dispensers and lighters

## Materials to avoid

Do not store together with:

Food and feedingstuffs

# Further information on storage conditions

Protect from extreme heat and cold.

Keep cool.

## 7.3 Specific end use(s)

No data available

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# Occupational exposure limit values

•	•			
CAS No.	EC No.	Substance name	occupational exposure limit value	
106-97-8	203-448-7	n-Butane	600 [ml/m³(ppm)] 1450 [mg/m³] Short-term(ml/m³) 750 Short-term(mg/m³) 1810 (UK)	
106-97-8	203-448-7	n-Butane	Short-term(ml/m³) 1000 (1) (1) 15 minutes average value (IE)	

## 8.2 Exposure controls

## Personal protection equipment

Eye/face protection

safety goggles

## Hand protection

Gloves (solvent-resistant)



# ES WIRKT.

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**Kettenreiniger-Spray** 

Print date 31.05.2023 Revision date 31.05.2023 Version 2.1 (en)

16.01.2023 (2.0) replaces version of

## **Body protection:**

Protective clothing

## **Respiratory protection**

Respiratory protection necessary at:

aerosol or mist formation

The following applies to propane in general: If the concentration is exceeded, closed-circuit breathing apparatures must be used

Use filter apparatus type AX, identification colour brown according to EN 371

# **Environmental exposure controls**

# Technical measures to prevent exposure

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

# **Physical state**

Aerosol

## Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	not determined		
flammability	not determined		
Lower and upper explosion limit	not determined		
Flash point	not determined		
Auto-ignition temperature	not determined		
Decomposition temperature	not determined		
рН	not determined		
Viscosity	kinematic approx. 20 mm²/s (20°C)		
Solubility(ies)	not determined		
Partition coefficient n- octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	0.88 g/cm³ (20°C) pressure 1013 mbar		
Relative vapour density	not determined		
particle characteristics	not determined		

# 9.2 Other information

No data available



# Kettenreiniger-Spray

Print date 31.05.2023
Revision date 31.05.2023
Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

No data available

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Formation of explosive gas/air mixtures.

Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding 50°C/122°F.

## 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

No data available

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

## **Animal data**

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	not determined		
Acute dermal toxicity	not determined		
Acute inhalation toxicity	not determined		

## Skin corrosion/irritation

not determined

# Serious eye damage/irritation

not determined

## Sensitisation to the respiratory tract

not determined

# Skin sensitisation

not determined

## Germ cell mutagenicity

not determined

## Carcinogenicity

not determined

# Reproductive toxicity

not determined

## STOT-single exposure

not determined

## STOT-repeated exposure

not determined



**Kettenreiniger-Spray** 

Print date 31.05.2023
Revision date 31.05.2023
Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

## **Aspiration hazard**

not determined

## 11.2 Information on other hazards

No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Aquatic toxicity**

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	not determined		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	not determined		
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	not determined		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

No data available

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

## Additional ecotoxicological information

# **Additional information**

Do not allow uncontrolled discharge of product into the environment.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## Appropriate disposal / Product

Disposal according to local regulations



# Kettenreiniger-Spray

Print date 31.05.2023
Revision date 31.05.2023
Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

## Appropriate disposal / Package

Completely emptied packages can be recycled. Recycle sales packaging via DSD (Duales System Deutschland).

# **SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

## 14.6 Special precautions for user

No data available

# 14.7 Maritime transport in bulk according to IMO instruments

No data available

# Land transport (ADR/RID)

UN number or ID number UN 1950 UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1
Hazard label(s) 2.1
Classification code 5F
Packing group Environmental hazards No
Limited quantity (LQ) 1 L

Special provisions 190, 327, 344, 625

Tunnel restriction code D

## Sea transport (IMDG)

UN number or ID number UN 1950
UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1
Packing group Environmental hazards No
Limited quantity (LQ) 1 L
Marine pollutant No
EmS F-D, S-U



# Kettenreiniger-Spray

Print date 31.05.2023
Revision date 31.05.2023
Version 2.1 (en)

replaces version of 16.01.2023 (2.0)

## Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1
Packing group Environmental hazards No

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## **Additional information**

National and local regulations concerning chemicals shall be observed.

The information shall be considered in this data accurate and up-to-date knowledge of the revision date. They do not guarantee the adherence of certain features in the sense of legally binding.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Relevant H- and EUH-phrases (Number and full text)

H220	Extremely flammable gas.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## Indication of changes

<sup>\*</sup> Data changed compared with the previous version