

27.05.2022 (7.2)

Multi-Werkstatt-Öl Spray

replaces version of

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

#### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name/designation Multi-Werkstatt-Öl Spray

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

corrosion prevention Lubricant

#### Remark

UFI: TYYT-6EA6-300C-1XGV

#### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer

F.W.Klever Hauptstraße 20 D-84168 Aham Telephone +49 (0) 8744 96 99 10 Telefax + 49 (0) 8744 96 99 96 E-mail info@ballistol.de Website www.ballistol.de

Department responsible for information:

Qualitätssicherung

Telephone +49 (0) 8744 96 99 80

E-mail (competent person):

info@ballistol.de

#### \* 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

#### \* SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] Classification procedure

Aerosol 1, H222 H229

#### Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

- \* 2.2 Label elements
- \* Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### **Hazard pictograms**





#### ES WIRKT.

#### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Multi-Werkstatt-Öl Spray

Print date 14.12.2022 Revision date 01.12.2022 Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### Signal word

Danger

#### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

### **Precautionary statements**

P102 Keep out of reach of children.

P251 Do not pierce or burn, even after use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P412 Do not expose to temperatures exceeding 50 °C/122 °F

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents / container to recycling

#### 2.3 Other hazards

No data available

#### **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

#### **Hazardous ingredients**

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
		Kerosin (Erdöl), hydrodesulfuriertes ; Kerosin - nicht spezifiziert (Kopie)	< 30 weight-%	Asp. Tox. 1; H304	
106-97-8	203-448-7	butane	≥ 10 ≤ 15 weight-%	Flam. Gas 1; H220 Press. Gas	
74-98-6	200-827-9	propane	≥ 5 ≤ 10 weight-%	Flam. Gas 1; H220 Press. Gas	

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately.

#### Following inhalation

Provide fresh air.

In the event of symptoms refer for medical treatment.

#### Following skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.



#### Multi-Werkstatt-Öl Spray

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### Following ingestion

Do NOT induce vomiting. Medical treatment necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### \* SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguishing powder Carbon dioxide (CO2) Water spray jet

#### Unsuitable extinguishing media

Full water jet

#### \* 5.2 Special hazards arising from the substance or mixture

#### \* Hazardous combustion products

In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide

#### 5.3 Advice for firefighters

No data available

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

No data available

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Take up residues with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

#### 6.4 Reference to other sections

No data available



#### Multi-Werkstatt-Öl Spray

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### **Protective measures**

Use only in well-ventilated areas.

Keep away from sources of ignition - No smoking.

Container under pressure

Protect aerosols from temperatures exceeding 50°C/ 122°F

Avoid:

Eye contact

Skin contact

#### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Storing of food in workroom forbidden.

Wash hands before breaks and after work. Use protective skin cream before handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container.

#### Storage class

2B Aerosol dispensers and lighters

#### Materials to avoid

Do not store together with:

Oxidising agent

#### Further information on storage conditions

Keep in a cool, well-ventilated place.

#### 7.3 Specific end use(s)

No data available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

•	•		
CAS No.	EC No.	Substance name	occupational exposure limit value
106-97-8	203-448-7	n-Butane	600 [ml/m³(ppm)] 1450 [mg/m³] Short-term(ml/m³) 750 Short-term(mg/m³) 1810 (UK)
106-97-8	203-448-7	n-Butane	Short-term(ml/m³) 1000 (1) (1) 15 minutes average value (IE)

#### 8.2 Exposure controls

#### Personal protection equipment

Eye/face protection

tightly fitting goggles



Multi-Werkstatt-Öl Spray

Print date 14.12.2022 Revision date 01.12.2022 Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### **Hand protection**

Gloves (oil-resistant)

#### **Respiratory protection**

Respiratory protection necessary at: high concentrations

#### **Environmental exposure controls**

Technical measures to prevent exposure

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### **Physical state**

Aerosol

#### Colour

brownish

#### Odour

like Petroleum

#### Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	-42 °C		(Propan)
flammability	not determined		
Lower and upper explosion limit	Upper explosion limit approx. 10.9 Vol-%		(Propan)
Lower and upper explosion limit	Lower explosion limit approx. 1.5 Vol-%		(Propan)
Flash point	approx104 °C		(Propan)
Auto-ignition temperature	> 200 °C		Die Daten beziehen sich auf das Lösemittel.
Decomposition temperature	not determined		
рН	not determined		
Viscosity	kinematic 21 mm²/s (20°C)		information concerns to liquid phase
Solubility(ies)	Water solubility		Immiscible
Partition coefficient n- octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	0.86 g/cm³ (20°C) pressure 1013 mbar		information concerns to liquid phase
Relative vapour density	not determined		



Multi-Werkstatt-Öl Spray

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

Value Method Source, Remark

not determined

particle characteristics

9.2 Other information

### No data available

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

No data available

#### 10.3 Possibility of hazardous reactions

**SECTION 10: Stability and reactivity** 

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Oxidising agent

#### 10.6 Hazardous decomposition products

Carbon monoxide Carbon dioxide

#### **Additional information**

Product is stable under normal storage conditions

#### \* SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- \* Animal data

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	2000 mg/kg Species Rat		

Acute dermal toxicity

Acute inhalation toxicity

#### Skin corrosion/irritation

**Animal data** 

Result / Evaluation Method Source, Remark

slightly irritant

#### Serious eye damage/irritation

**Animal data** 

Result / Evaluation Method Source, Remark



Multi-Werkstatt-Öl Spray

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### \* Sensitisation to the respiratory tract

not determined

#### Skin sensitisation

**Animal data** 

Result / Evaluation Dose / Concentration Method Source, Remark

not sensitising.

Germ cell mutagenicity

Value Method Result / Evaluation Remark

In vitro

mutagenicity/genot

oxicity

Carcinogenicity

**Animal data** 

Value Method Result / Evaluation Remark

Carcinogenicity

Reproductive toxicity

**Animal data** 

Value Method Result / Evaluation Remark

Reproductive toxicity

#### STOT-single exposure

#### **Overall Assessment on CMR properties**

#### STOT SE 1 and 2

#### **Animal data**

Effective dose Method Specific effects: Organs affected: Source, Remark

Oral specific target organ toxicity (single exposure) Dermal specific target organ toxicity (single

Inhalative specific target organ toxicity (single exposure)

exposure)

#### Other information

Vzhladom na

dostupné údaje, klasifikacné kritériá nie sú splnené

#### STOT-repeated exposure

STOT SE 3

**Narcotic effects** 

**Animal data** 

Effective dose Method Specific effects: Organs affected: Source, Remark

Oral specific target organ toxicity (repeated exposure)



#### ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Multi-Werkstatt-Öl Spray

Print date 14.12.2022 Revision date 01.12.2022 Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

Effective dose Method Specific effects: Organs affected: Source, Remark

Oral specific target organ toxicity (repeated exposure)

Dermal specific target organ toxicity (repeated exposure)

Dermal specific target organ toxicity (repeated exposure)

Inhalative specific target organ toxicity (repeated exposure)

Inhalative specific target organ toxicity (repeated exposure)

#### Other information

Vzhladom na dostupné údaje, klasifikacné kritériá nie sú splnené

#### **Aspiration hazard**

#### Remark

Vzhladom na dostupné údaje, klasifikacné kritériá nie sú splnené

#### 11.2 Information on other hazards

No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Aquatic toxicity**

•			
	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) fish toxicity	not determined		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	not determined		
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	not determined		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		



Multi-Werkstatt-Öl Spray

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### 12.2 Persistence and degradability

Value Method Source, Remark

Biodegradation

The main components are probably slightly degradable, but some components are persistent in the environment

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

No data available

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

#### Additional ecotoxicological information

#### **Additional information**

Do not allow uncontrolled discharge of product into the environment.

The breakdown properties of the product have not been tested. The information on these is given on the basis of details in the literature.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Waste codes/waste designations according to EWC/AVV

Waste code product Waste name

130208 \* other engine, gear and lubricating oils

#### Appropriate disposal / Package

Non-contaminated packages may be recycled.

Recycle sales packaging via DSD (Duales System Deutschland).

#### **SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group	-	-	-
14.5 Environmental hazards	ENVIRONMENTALLY HAZARDOUS	ENVIRONMENTALLY HAZARDOUS	ENVIRONMENTALLY HAZARDOUS

#### 14.6 Special precautions for user

No data available



#### Print o

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Multi-Werkstatt-Öl Spray

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available

#### Land transport (ADR/RID)

UN number or ID number UN 1950 UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1
Hazard label(s) 2.1
Classification code 5F
Packing group -

Environmental hazards ENVIRONMENTALLY HAZARDOUS

Limited quantity (LQ) 1 L

Special provisions 190, 327, 344, 625

Tunnel restriction code D

#### Sea transport (IMDG)

UN number or ID number UN 1950 UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1 Packing group -

Environmental hazards ENVIRONMENTALLY HAZARDOUS

Limited quantity (LQ) 1 L

Marine pollutant No

EmS F-D, S-U

#### Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1 Packing group -

Environmental hazards ENVIRONMENTALLY HAZARDOUS

#### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Other regulations (EU)

#### To follow:

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

#### 15.2 Chemical Safety Assessment

#### **National regulations**

For this substance a chemical safety assessment has not been carried out.



Multi-Werkstatt-Öl Spray

Print date 14.12.2022
Revision date 01.12.2022
Version 8.0 (en)

replaces version of 27.05.2022 (7.2)

#### **SECTION 16: Other information**

#### **Additional information**

National and local regulations concerning chemicals shall be observed.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Relevant H- and EUH-phrases (Number and full text)

H220 Extremely flammable gas.

H304 May be fatal if swallowed and enters airways.

#### Indication of changes

\* Data changed compared with the previous version