



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

*** SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

Trade name/designation Waffenteilereiniger
Unique Formula Identifier UFI: 955C-31F1-7002-0KMH

Hazard components

Low boiling point hydrogen treated naphtha

*** 1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture

For cleaning and greasing weapon parts

1.3 Details of the supplier of the safety data sheet

Manufacturer

F.W.Klever
Hauptstraße 20
D-84168 Aham
Telephone +49 (0) 8744 96 99 10
Telefax + 49 (0) 8744 96 99 96
E-mail info@ballistol.de
Website www.ballistol.de

Department responsible for information:
Qualitätssicherung
Telephone +49 (0) 8744 96 99 80

E-mail (competent person):
info@ballistol.de

*** 1.4 Emergency telephone number**

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

*** SECTION 2: Hazards identification**

*** 2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure
--	--------------------------

Aerosol 1, H222 H229
Skin Irrit. 2, H315
Eye Irrit. 2, H319
STOT SE 3, H336
Aquatic Chronic 2, H411

Hazard statements for physical hazards

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.

Hazard statements for health hazards

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

Hazard statements for environmental hazards

H411 Toxic to aquatic life with long lasting effects.

*** 2.2 Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components

Low boiling point hydrogen treated naphtha

Hazard pictograms



GHS02



GHS07



GHS09

Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P251 Do not pierce or burn, even after use.
P271 Use only outdoors or in a well-ventilated area.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P405 Store locked up.
P501 Dispose of contents/container to recycling

2.3 Other hazards

No data available

*** SECTION 3: Composition / information on ingredients**

3.1 Substances

not applicable

*** 3.2 Mixtures**

Hazardous ingredients

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
106-97-8	203-448-7	butane	< 30 weight-%	Flam. Gas 1; H220 Press. Gas	
64742-49-0	265-151-9	Low boiling point hydrogen treated naphtha	> 30 weight-%	Carc. 1B; H350 Muta. 1B; H340 Asp. Tox. 1; H304	
74-98-6	200-827-9	propane	< 15 weight-%	Flam. Gas 1; H220 Press. Gas	



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

Remark

Aerosol: Propellant propane/butane gas

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Following inhalation

Provide fresh air.
In the event of symptoms refer for medical treatment.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.
In case of skin irritation, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion

Do NOT induce vomiting.
If troubles appear bring to a medical treatment
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam
Carbon dioxide (CO₂)
Water spray jet

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide
Vapours may form explosive mixtures with air



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.
Heating leads to pressure increase and risk of cracking

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Remove all sources of ignition.
Do not breath vapour or spray.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For containment

Take up residues with absorbent material (e.g. sand, sawdust, general-purpose binder).

6.4 Reference to other sections

No data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Do not spray on naked flames or any incandescent material.

Keep away from sources of ignition - No smoking.

Protect aerosols from temperatures exceeding 50°C/ 122°F

Do not open with force or incinerate, even when empty

Avoid:

Eye contact

Skin contact

Do not inhale aerosols

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

Storing of food in workroom forbidden.

Wash hands before breaks and after work.

Use protective skin cream before handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Storage class

2B Aerosol dispensers and lighters



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

Materials to avoid

Do not store together with:
Food and feedingstuffs

Further information on storage conditions

Protect from extreme heat and cold.
Keep cool.

7.3 Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CAS No.	EC No.	Substance name	occupational exposure limit value
106-97-8	203-448-7	n-Butane	600 [ml/m ³ (ppm)] 1450 [mg/m ³] Short-term(ml/m ³) 750 Short-term(mg/m ³) 1810 (UK)
106-97-8	203-448-7	n-Butane	Short-term(ml/m ³) 1000 (1) (1) 15 minutes average value (IE)

8.2 Exposure controls

Personal protection equipment

Eye/face protection

With demand: protective glasses

Hand protection

Gloves (solvent-resistant)

Body protection:

Protective clothing

Respiratory protection

Respiratory protection necessary at:
aerosol or mist formation

The following applies to propane in general: If the concentration is exceeded, closed-circuit breathing apparatuses must be used

Use filter apparatus type AX, identification colour brown according to EN 371

Environmental exposure controls

Technical measures to prevent exposure



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Aerosol

Colour

colourless
clear

Odour

fruity

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	approx. 80 °C		
flammability	not determined		
Lower and upper explosion limit	Upper explosion limit approx. 15 Vol-%		information concern solvent
Lower and upper explosion limit	Lower explosion limit approx. 3.5 Vol-%		information concern solvent
Flash point	approx. 12 °C		information for solvent
Auto-ignition temperature	approx. 425 °C		Die Daten beziehen sich auf das Lösemittel.
Decomposition temperature	not determined		
pH	not determined		
Viscosity	not determined		
Solubility(ies)	Water solubility		Immiscible
Partition coefficient n-octanol/water (log value)	not determined		
Vapour pressure	approx. 59 hPa (20°C)		The data refer to the solvent
Density and/or relative density	approx. 0.74 g/cm ³ (20°C) pressure 1013 mbar		
Relative vapour density	not determined		
particle characteristics	not determined		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Formation of explosive gas/air mixtures.
Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding 50°C/122°F.

10.5 Incompatible materials

Oxidising agent, strong

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Additional information

Product is stable under normal storage conditions

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	10470 mg/kg Species Rat	OECD 401	Data apply to the main component.
Acute dermal toxicity	not determined		
Acute inhalation toxicity	124.7 mg/L Species Rat Exposure time 4 h	OECD 403	Data apply to the main component.

Skin corrosion/irritation

not determined

Serious eye damage/irritation

not determined

Sensitisation to the respiratory tract

not determined

Skin sensitisation

not determined

Germ cell mutagenicity

not determined

Carcinogenicity

not determined

Reproductive toxicity

not determined

STOT-single exposure

not determined



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

STOT-repeated exposure

not determined

Aspiration hazard

not determined

11.2 Information on other hazards

Other information

There is no risk in a normal operational application
Frequent persistent contact with the skin may cause skin irritation.
The product has not been tested. The information is derived from the properties of the individual components.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: 8140 g/m3 Species Leuciscus idus (golden orfe) Test duration 48 h		There is no risk in a normal operational application
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	EC50 9268- 14221 g/m3 Species Daphnia magna (Big water flea) Test duration 48 h		There is no risk in a normal operational application
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	IC5 5000 g/m3 Species Scenedesmus quadricauda Test duration 7 d		There is no risk in a normal operational application
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product	Waste name
140603 *	other solvents and solvent mixtures

Appropriate disposal / Product

Disposal according to local regulations

Appropriate disposal / Package

Completely emptied packages can be recycled.
Recycle sales packaging via DSD (Duales System Deutschland).

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

No data available

Land transport (ADR/RID)

UN number or ID number	UN 1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Hazard label(s)	2.1
Classification code	5F
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	1 L
Special provisions	190, 327, 344, 625
Tunnel restriction code	D



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

Sea transport (IMDG)

UN number or ID number UN 1950
UN proper shipping name AEROSOLS
Transport hazard class(es) 2.1
Packing group -
Environmental hazards No
Limited quantity (LQ) 1 L
Marine pollutant No
EmS F-D, S-U

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 1950
UN proper shipping name Aerosols, flammable
Transport hazard class(es) 2.1
Packing group -
Environmental hazards No

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations (EU)

To follow:

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work
Aerosol directive (75/324/EEC)

15.2 Chemical Safety Assessment

National regulations

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Additional information

National and local regulations concerning chemicals shall be observed.
The information shall be considered in this data accurate and up-to-date knowledge of the revision date. They do not guarantee the adherence of certain features in the sense of legally binding.
The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Relevant H- and EUH-phrases (Number and full text)

H220 Extremely flammable gas.
H304 May be fatal if swallowed and enters airways.
H340 May cause genetic defects.
H350 May cause cancer.



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Waffenteilereiniger

Print date 08.02.2023
Revision date 08.02.2023
Version 3.0 (en)
replaces version of 11.12.2020 (2.1)

Indication of changes

* Data changed compared with the previous version