

# GunCer

ounou	
Print date	12.01.2023
Revision date	12.01.2023
Version	5.0 (en)
replaces version of	12.01.2023 (4.8)

# \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name/designation GunCer

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Care and cleaning of cylinders and locks

#### Remark

UFI: FUMC-N1FW-K00P-3Y8J

# 1.3 Details of the supplier of the safety data sheet

#### Manufacturer

F.W.Klever Hauptstraße 20 D-84168 Aham Telephone +49 (0) 8744 96 99 10 Telefax + 49 (0) 8744 96 99 96 E-mail info@ballistol.de Website www.ballistol.de

Department responsible for information: Qualitätssicherung Telephone +49 (0) 8744 96 99 80

E-mail (competent person): info@ballistol.de

# \* 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49

+49 (0)6132-84463

# \* SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aerosol 1, H222 H229

# Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

# \* 2.2 Label elements

\* Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms





# ES WIRKT.

#### GunCer Print date 12.01.2023 Revision date 12.01.2023 Version 5.0 (en) replaces version of 12.01.2023 (4.8)

#### Signal word

Danger

#### Hazard statements

H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated.

# **Precautionary statements**

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container to recycling

#### 2.3 Other hazards

No data available

# **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

#### Hazardous ingredients

	5				
CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
106-97-8	203-448-7	butane	20 weight-%	Flam. Gas 1; H220 Press. Gas	
64742-82-1	926-141-6	Testbenzin	< 10 weight-%		
74-98-6	200-827-9	propane	7 weight-%	Flam. Gas 1; H220 Press. Gas	

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# **Following inhalation**

Provide fresh air.

In the event of symptoms refer for medical treatment.

#### Following skin contact

After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

# **Following ingestion**

If swallowed, immediately drink: Water Seek medical advice immediately.



# ES WIRKT.

# GunCer Print date 12.01.2023 Revision date 12.01.2023 Version 5.0 (en) replaces version of 12.01.2023 (4.8)

4.2 Most important symptoms and effects, both acute and delayed

No data available

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media Foam ABC-powder Carbon dioxide (CO2) Water spray jet

Unsuitable extinguishing media Full water jet

#### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide

# 5.3 Advice for firefighters

**Special protective equipment for firefighters** In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Heating causes rise in pressure with risk of bursting Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Special danger of slipping by leaking/spilling product.

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Take up residues with absorbent material (e.g. sawdust).



# GunCer

Guilloui		
Print date	12.01.2023	
Revision date	12.01.2023	
Version	5.0 (en)	
replaces version of	12.01.2023 (4.8)	

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4 Reference to other sections

No data available

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Protective measures

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking. Protect aerosols from temperatures exceeding 50°C/ 122°F Do not inhale gases/vapours/aerosols.

#### Advices on general occupational hygiene

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels** Keep/Store only in original container.

#### Storage class

2B Aerosol dispensers and lighters

#### Further information on storage conditions

Recommended storage temperature: room temperature. Storage time: 3 years.

# 7.3 Specific end use(s)

No data available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

CAS No.	EC No.	Substance name	occupational exposure limit value
106-97-8	203-448-7	n-Butane	600 [ml/m³(ppm)] 1450 [mg/m³] Short-term(ml/m³) 750 Short-term(mg/m³) 1810 (UK)
106-97-8	203-448-7	n-Butane	Short-term(ml/m³) 1000 (1) (1) 15 minutes average value (IE)

#### 8.2 Exposure controls

#### Personal protection equipment

#### Eye/face protection

With demand: protective glasses



# ES WIRKT.

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

GunCer

Guildei	
Print date	12.01.2023
Revision date	12.01.2023
Version	5.0 (en)
replaces version of	12.01.2023 (4.8)

# Hand protection

Gloves (oil-resistant) Recommendation: protective glove (referred to EN374).

# **Respiratory protection**

Respiratory protection must be worn whenever the WEL levels have been exceeded The following applies to propane in general: If the concentration is exceeded, closed-circuit breathing apparatures must be used Use filter apparatus type AX, identification colour brown according to EN 371

# \* SECTION 9: Physical and chemical properties

# \* 9.1 Information on basic physical and chemical properties

**Physical state** Aerosol

Colour light yellow

# Odour

characteristic

# Safety relevant basis data

ourory relevant sucre auta			
	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	-48 °C		(Propan)
flammability	not determined		
Lower and upper explosion limit	Upper explosion limit 10.9 Vol-%		(Propan)
Lower and upper explosion limit	Lower explosion limit approx. 1.5 Vol-%		(Propan)
Flash point	approx104 °C		(Propan)
Auto-ignition temperature	not determined		
Decomposition temperature	not determined		
рН	not determined		
Viscosity	kinematic approx. 28 (20°C)		information concerns to liquid phase
Solubility(ies)	Water solubility		Immiscible
Partition coefficient n- octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	approx. 0.9 g/cm³ (20°C) pressure 1013 mbar		information concerns to liquid phase
Relative vapour density	not determined		
particle characteristics	not determined		

R	LLISTOL
גע	
	ES WIRKT.

GunCer		
Print date	12.01.2023	
Revision date	12.01.2023	
Version	5.0 (en)	
replaces version of	12.01.2023 (4.8)	
•		

# \* 9.2 Other information

#### \* Other safety characteristics

•	Value	Method	Source, Remark	
refraction index	1.48 (20°C)			

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

10.2 Chemical stability

No data available

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding 50°C/122°F.

# 10.5 Incompatible materials

Oxidising agent, strong

#### **10.6 Hazardous decomposition products**

Carbon monoxide Carbon dioxide

#### Additional information

Product is stable under normal storage conditions

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

#### Animal data

	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity	> 5000 mg/kg Species Rat		
Acute dermal toxicity	> 5000 mg/kg Species Rabbit		
Acute inhalation toxicity	not determined		
Skin corrosion/irritation			
not determined			
Serious eye damage/irritation			
Animal data			
Result / Evaluation	Method	Source, Remar	k
slightly irritant			



GunCer	
Print date	12.01.2023
Revision date	12.01.2023
Version	5.0 (en)
replaces version of	12.01.2023 (4.8)

Someitication to the reconstant tra	of		
Sensitisation to the respiratory tra- not determined	UL		
Skin sensitisation			
Animal data			
Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.			
Germ cell mutagenicity			
not determined			
Carcinogenicity			
not determined			
Reproductive toxicity			
not determined			
STOT-single exposure			
not determined			
STOT-repeated exposure			
not determined			
Aspiration hazard			
not determined			
11.2 Information on other hazards			
No data available			

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# Aquatic toxicity

-	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) fish toxicity	not determined		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	not determined		
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	not determined		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		
Persistence and degradability			
	Value	Method	Source, Remark
Biodegradation			Moderately/partially biodegradable.



# ES WIRKT.

 GunCer

 Print date
 12.01.2023

 Revision date
 12.01.2023

 Version
 5.0 (en)

 replaces version of
 12.01.2023 (4.8)

12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

# 12.6 Endocrine disrupting properties

No data available

# 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# Waste codes/waste designations according to EWC/AVV

Waste code product Waste name

130205 \* mineral-based non-chlorinated engine, gear and lubricating oils

# Appropriate disposal / Package

Non-contaminated packages may be recycled. Recycle sales packaging via DSD (Duales System Deutschland).

# **SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group 14.5 Environmental hazards	- No	- No	- No

# 14.6 Special precautions for user

No data available

# 14.7 Maritime transport in bulk according to IMO instruments

No data available

# Land transport (ADR/RID)

UN number or ID number	UN 1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Hazard label(s)	2.1
Classification code	5F
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	1 L



# GunCer

Guilloci		
Print date	12.01.2023	
Revision date	12.01.2023	
Version	5.0 (en)	
replaces version of	12.01.2023 (4.8)	

Special provisions	190, 327, 344, 625
Tunnel restriction code	D

# Sea transport (IMDG)

UN number or ID number	UN 1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	1 L
Marine pollutant	No
EmS	F-D, S-U

# Air transport (ICAO-TI / IATA-DGR)

UN number or ID number	UN 1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No data available

# **15.2 Chemical Safety Assessment**

For this substance a chemical safety assessment is not required.

# **SECTION 16: Other information**

# Additional information

National and local regulations concerning chemicals shall be observed.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Relevant H- and EUH-phrases (Number and full text)

H220 Extremely flammable gas.

#### Indication of changes

\* Data changed compared with the previous version