

# PTFE Trockenschmierung Spray

 Print date
 22.01.2024

 Revision date
 22.01.2024

 Version
 8.2 (en)

replaces version of 13.04.2023 (8.1)

# \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name/designation** PTFE Trockenschmierung Spray **Unique Formula Identifier** UFI: 8CDQ-7E13-X001-34Y0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Lubricant (dry lubrication)

# \* 1.3 Details of the supplier of the safety data sheet

# **Supplier**

F.W.Klever
Hauptstraße 20
D-84168 Aham
Telephone +49 (0) 8744 96 99 10
Telefax + 49 (0) 8744 96 99 96
E-mail info@ballistol.de
Website www.ballistol.de

Department responsible for information:

Qualitätssicherung

Telephone +49 (0) 8744 96 99 80

E-mail (competent person):

info@ballistol.de

# Manufacturer

F.W.Klever
Hauptstraße 20
D-84168 Aham
Telephone +49 (0) 8744 96 99 10
Telefax + 49 (0) 8744 96 99 96
E-mail info@ballistol.de
Website www.ballistol.de

Department responsible for information:

Qualitätssicherung

Telephone +49 (0) 8744 96 99 80

E-mail (competent person): info@ballistol.de

# 1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

### \* SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

Classification according to Classification procedure Regulation (EC) No 1272/2008

[CLP]

Aerosol 1, H222

Aerosol 1, H229

Eye Irrit. 2, H319



# PTFE Trockenschmierung Spray

Print date 22.01.2024 Revision date 22.01.2024 Version 8.2 (en)

replaces version of 13.04.2023 (8.1)

## Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

#### Hazard statements for health hazards

H319 Causes serious eye irritation.

### \* 2.2 Label elements

# \* Labelling according to Regulation (EC) No 1272/2008 [CLP]

# Hazard pictograms





GHS02

GHS07

# Signal word

Danger

### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

## **Precautionary statements**

P102 Keep out of reach of children.

P501 Dispose of contents / container to recycling

P251 Do not pierce or burn, even after use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention.

# 2.3 Other hazards

No data available

# **SECTION 3: Composition / information on ingredients**

# 3.1 Substances

not applicable

#### 3.2 Mixtures

# Hazardous ingredients

CAS No	EC No	Index No	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
74-98-6	200-827-9	601-003-00-5	propane	35 weight-%	Flam. Gas 1; H220 Press. Gas	
106-97-8	203-448-7	601-004-00-0	butane	15 weight-%	Flam. Gas 1; H220 Press. Gas	

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# **General information**

Remove contaminated, saturated clothing immediately.

Remove affected person from the danger area and lay down.



# PTFE Trockenschmierung Spray

Print date 22.01.2024
Revision date 22.01.2024
Version 8.2 (en)

replaces version of 13.04.2023 (8.1)

## Following inhalation

Provide fresh air.

## Following skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

# After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Call a physician immediately.

## odii a priyoloidii illiillodidiciy

# **Following ingestion**

Rinse mouth immediately and drink plenty of water.

# 4.2 Most important symptoms and effects, both acute and delayed

### **Symptoms**

Unconsciousness Inebriation Vomiting Nausea

Dizziness

Dizziness

# 4.3 Indication of any immediate medical attention and special treatment needed

# Notes for the doctor

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Foam Carbon dioxide (CO2) Water spray jet

## Unsuitable extinguishing media

Full water jet

## 5.2 Special hazards arising from the substance or mixture

## **Hazardous combustion products**

Carbon monoxide

## 5.3 Advice for firefighters

## Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

Wear full chemical protective clothing.

## **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Heating causes rise in pressure with risk of bursting



# PTFE Trockenschmierung Spray

 Print date
 22.01.2024

 Revision date
 22.01.2024

 Version
 8.2 (en)

replaces version of 13.04.2023 (8.1)

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Remove all sources of ignition.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3 Methods and material for containment and cleaning up

#### For containment

Suitable material for taking up: Sawdust Take up mechanically and send for disposal.

# 6.4 Reference to other sections

No data available

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### **Protective measures**

No special measures are necessary. Keep away from sources of ignition - No smoking. Do not inhale aerosols Avoid: Eye contact

# Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Storing of food in workroom forbidden. Wash hands before breaks and after work.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Materials to avoid

Do not store together with: Food and feedingstuffs

# Further information on storage conditions

Protect of heat.

## 7.3 Specific end use(s)

No data available

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters



# **PTFE Trockenschmierung Spray**

Print date 22.01.2024
Revision date 22.01.2024
Version 8.2 (en)

replaces version of 13.04.2023 (8.1)

### Occupational exposure limit values

CAS No	EC No	Substance name	occupational exposure limit value
106-97-8	203-448-7	n-Butane	600 [ml/m³(ppm)] 1450 [mg/m³] Short-term(ml/m³) 750 Short-term(mg/m³) 1810 (UK)
106-97-8	203-448-7	n-Butane	Short-term(ml/m³) 1000 (1) (1) 15 minutes average value (IE)

## 8.2 Exposure controls

# Personal protection equipment

# **Eye/face protection**

tightly fitting goggles

# **Hand protection**

Gloves (solvent-resistant)

## **Body protection:**

Protective clothing

# **Respiratory protection**

Respiratory protection necessary at: insufficient ventilation
Suitable respiratory protection apparatus:
Short term: filter apparatus, Filter A/P2

### **Environmental exposure controls**

# Technical measures to prevent exposure

---

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

## **Physical state**

Aerosol

### Colour

colourless clear

#### **Odour**

like: Alcohol

## Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	approx. 78 °C pressure 1013 mbar		



# PTFE Trockenschmierung Spray

Print date 22.01.2024 Revision date 22.01.2024 Version 8.2 (en)

replaces version of 13.04.2023 (8.1)

		Value	Method	Source Demork	
	<b>6</b> 1		ivietriou	Source, Remark	
	flammability	not determined			
	Lower and upper explosion limit	Upper explosion limit 10.9 Vol-%		(Propan)	
	Lower and upper explosion limit	Lower explosion limit 1.5 Vol-%		(Propan)	
	Flash point	approx104 °C		(Propan)	
	Auto-ignition temperature	not determined			
	Decomposition temperature	not determined			
	рН	in delivery state approx. 7.5 (20°C)		neutral	
	Viscosity	not determined			
	Solubility(ies)	Water solubility		multimiscible	
	Partition coefficient n- octanol/water (log value)	not determined			
	Vapour pressure	approx. 60 hPa (20°C)			
	Density and/or relative density	approx. 0.82 g/cm³ (20°C) pressure 1013 mbar		information concerns to liquid phase	
	Relative vapour density	not determined			
	particle characteristics	not determined			
2 (	Other information				
	No data available				

# 9.2

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

## 10.2 Chemical stability

No data available

# 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding  $50^{\circ}\text{C}/122^{\circ}\text{F}$ . Evolution of highly flammable gases/vapours.

# 10.5 Incompatible materials

Oxidising agent, strong

# 10.6 Hazardous decomposition products

Carbon monoxide Carbon dioxide



# PTFE Trockenschmierung Spray

Print date 22.01.2024
Revision date 22.01.2024
Version 8.2 (en)

replaces version of 13.04.2023 (8.1)

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

#### **Animal data**

	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity	> 5000 mg/kg Species Rat		Data apply to the main component.
Acute dermal toxicity	> 2000 mg/kg Species Rat		Data apply to the main component.
Acute inhalation toxicity	> 20000 mg/L Species Rat Exposure time 4 h		Details refer to the main component

### Skin corrosion/irritation

**Animal data** 

Result / Evaluation Method Source, Remark

non-irritant.

## Serious eye damage/irritation

**Animal data** 

Result / Evaluation Method Source, Remark

Irritant.

# Sensitisation to the respiratory tract

not determined

#### Skin sensitisation

**Animal data** 

Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.			experiences

## Germ cell mutagenicity

not determined

# Carcinogenicity

not determined

# Reproductive toxicity

not determined

## STOT-single exposure

not determined

# STOT-repeated exposure

not determined

## **Aspiration hazard**

not determined

### 11.2 Information on other hazards

No data available



# **PTFE Trockenschmierung Spray**

Print date 22.01.2024
Revision date 22.01.2024
Version 8.2 (en)

replaces version of 13.04.2023 (8.1)

# **SECTION 12: Ecological information**

## 12.1 Toxicity

**Aquatic toxicity** 

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: > 8100 mg/L Species Leuciscus idus (golden orfe) Test duration 48 h		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	EC50 > 9000 mg/L Species Daphnia magna (Big water flea) Test duration 48 h	OECD	
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	EC10 > 6500 mg/L Species Pseudomonas putida Test duration 16 h		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		
Persistence and degradability			
-	Value	Method	Source, Remark
Biodegradation			Readily biodegradable (according to OECD criteria)

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

No data available

# 12.6 Endocrine disrupting properties

No data available

# 12.7 Other adverse effects

# Additional ecotoxicological information

# **Additional information**

Do not allow uncontrolled discharge of product into the environment.

The breakdown properties of the product have not been tested. The information on these is given on the basis of details in the literature.



# PTFE Trockenschmierung Spray

 Print date
 22.01.2024

 Revision date
 22.01.2024

 Version
 8.2 (en)

replaces version of 13.04.2023 (8.1)

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## Waste codes/waste designations according to EWC/AVV

Waste code product Waste name

140603 \* other solvents and solvent mixtures

## Appropriate disposal / Package

Completely emptied packages can be recycled.

Recycle sales packaging via DSD (Duales System Deutschland).

### Remark

Send to a hazardous waste incinerator facility under observation of official regulations.

# **SECTION 14: Transport information**

·	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

## 14.6 Special precautions for user

No data available

## 14.7 Maritime transport in bulk according to IMO instruments

No data available

# Land transport (ADR/RID)

UN number or ID number UN 1950 UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1
Hazard label(s) 2.1
Classification code 5F
Packing group Environmental hazards No
Limited quantity (LQ) 1 L

Special provisions 190, 327, 344, 625

Tunnel restriction code D

## Sea transport (IMDG)

UN number or ID number UN 1950 UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1 Packing group -



# ES WIRKT.

# Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

# PTFE Trockenschmierung Spray

Print date 22.01.2024 Revision date 22.01.2024 Version 8.2 (en)

replaces version of 13.04.2023 (8.1)

Environmental hazards No Limited quantity (LQ) 1 L Marine pollutant No F-D. S-U **EmS** 

# Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1 Packing group Environmental hazards No

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

## 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

## **SECTION 16: Other information**

## **Additional information**

National and local regulations concerning chemicals shall be observed.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

## Relevant H- and EUH-phrases (Number and full text)

H220 Extremely flammable gas.

## Indication of changes

\* Data changed compared with the previous version